

# BSD 100, 1000, 10000 100000

## Abstract

[illegible]

BSD'ın lisans koşulları gerektirdiği için, bu yazılımın kullanılması için lisans ücreti talep edilmemektedir. BSD'ın lisans koşulları, yazılımın kullanılması için gerekli olan tüm hakları kullanıcıya bırakmaktadır. BSD'ın lisans koşulları, yazılımın kullanılması için gerekli olan tüm hakları kullanıcıya bırakmaktadır.

BSD is a registered trademark of the FreeBSD Foundation.

# Table of Contents

1. BSD 是什么 ?	1
2. 为什么 要学 BSD ?	2
3. BSD 有什么 特点 ?	3
4. BSD 有什么 应用 ?	3

# 1. BSD $\square\square$ ?

[illegible]

## BSD □□□□□□

በህግ የተገለጸው የጥቅም ስልጣን ለሕዝብ ጥቅም ሲሆን ለሌላ ጥቅም ሊያገለግል አይችልም፡፡

00000000 00000000 00, 00000000000 00000000 0000 0000 00000000000 000000, 0000000 BSD 0000000000 0000000  
 0000000 000 0000 000000000000 000000 000000000000000 000 0000000000 00000000000 000

C □□□□□□□□

API

BSD  0000000000 00000000 00000000 00000000 000, 0000 (GNU) 0000000000 000 0000 000

00000000 00000000 00000000

000000000000 000, 0000 00000000, 0000000000, 00000000 00000000 000 0000 000000000 00000000 0000 000000  
GNU 000000000 0000, 000 00 000

## X WINDOW

000 0000 000000000000 0000000000 00000000 0000000 (GUI)0

00000000 BSD'00 X WINDOW 00000000 000 000 000 XFree86 00000 0000000000 000000 00000 000000000000 0000000

## 2. 000 00000000!!! 00000 00000 00 ?

BSD 000000000 0000000000000 000 00000000 000000 000 000000 0000000 000000 AT&T'0 000000000000 00000000  
000000000 00000000 000 00 00000 000000 000000 `UNIX System V'0 000000000000 00000000 00000 000000000000, 000000  
000 AT&T 000 000000 000000000000 00000 000000000000 00000000 0000000000 000 0000000

000 000000 00 AT&T 00000000 000 000000000000 00000000 000 00000000000 000 00000000 000000 BSD'000 00000000 000 000  
000 00000000 000000000000 AT&T 000000 00000000000 0000000000000000000, 00000000000000 000000000000  
00000000 000000000 000000000 000000000 00000000 00000000 00000000 00000000 00000000 00000000 00000000 00000000  
000 000000000000 000 00000 00Berkley Software Distribution 00 BSD0

000000 00000000 BSD'00 00000 000000 0000000000 00000000 00000000 000000 0 00000000 0000000000 00 0000 Defence  
Advanced Research Agency (DARPA) 0 00000 CSRG'0 00000 00000000 0000000000 000 00 00000000 0000 CSRG'0 0000  
DARPA'0 0000000000 00000000 ARPANET 00000000 00000 00000000 00000000 00000 00 000000000000 000 000 00  
0000000000 0000000000 0000000000 00 00000000000 000 000 0000 TCP/IP0 TCP/IP 000 00000000000 0000000000 00000000  
0000000000000 00000 00000 00000000000000 0000000000 000000000 00000000 00000000 00000000 00 BSD'00 000000000000 00000000 00000000, 00  
000 4.2 BSD'0 000; 000 00000 000000 00000

00000 00000 000 00000 00000 0000000000000 0000000000 000 00000 00000 00000000 00000000 00000000 00000000 00000000 00000 00 000  
000000000000 000000 0000000000000 00000 0000000000 000000 00000 00000 0000 000000000000000 0000000000  
0000000000 000000 4.2 BSD'0 000 00000000 0000 SunOS 00000 00000 0000 AT&T 000000 000000000000 000000000000  
00000000 00000 00000000 0000, 0000 00000 00000000 System III 0000 000 000000000 00000 System V 0000000000 00000 000000  
System V'0 000 0000000000000 000 000 00, 000 00000000 000000000000 BSD'0 00000000 00000000000000 00000000 00  
000000 0000000000000 0000 TCP/IP 00000000, csh 000 0000 VI 00000000 BSD 00000 00000 00 0000000000000000 00000000 0000  
00 Berkeley Extensions0

BSD'0 00000000 00000 AT&T'0 0000000000 00000000 000000 00000 00000000000 0000000000 00000000 0000 00000 00000  
00000 000 00 CSRG'0 0000000000000 0000000 000 0000 0000000000 BSD 00000000000000 00000 000000 000000000 0 00000000  
00000000 00000 00000000 AT&T'0 00000000000000 00000000 000 00000 000000000000 00000000 0000 0000000000 000000  
0000000000 00, BSD'0 000000 00000000 0000 000000000000 00000000 00000000000000 0000 0, 00 00000 NET/2 0000  
0000000, 0000000000 0000000000 0000000000 00 00000000 000000000000 0000 Net/2 000 0000000000000000 0000000000  
0000000000 0000 00, Net/2'0 000000000 00000 000000 00% 0000 0000 0000000000 CSRG'0 00000 000000 00000000 00  
000000000 00 00000000 00000000 00000 000000 0000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000  
CSRG'0 0000000000 000000000000 00000 000000 Berkley Software Design Inc 00000 00000 0000000000 000 00000 0000  
00000000 Net/2'0 000000000000 000 00000000 0000 BSD/386 000000 00000 0000000000 00000000000 00000 00000000 00000000  
000000 00 0000000000 000000000000 000 0000000000 000 0000 BSD/OS 000 000

0000000000 0000000000 00000000 386BSD 00000 0000000000 0000000000 00000000 00000 00000 00 0000000000 00000 00000  
00 0000 000 0000 0000 NetBSD 0 FreeBSD 00000 0000 00000 0000000000 0000000000 000000000000 0000000 00000 000000

[illegible]

### 3. BSD 许可证 是什么？

□□□ □□□□ □□□□ BSD □□□□□□□□□□ □□□□□□□□

- [illegible]

00000000 0000 000000 00 0000000000 0000000000 0000 0000 00 00 0000000000 0000000000 000000 000000 000000 **BSD** 00000000  
 0000 "**BSD** 00000000" 00000000 **AT&T** 00000000000000 00000000 0000 000000000000 0000 00000000 00000000 00000000 00000000  
**BSD** 00 00 0000 000000 0000 0000000000 000000 00000000 000000 000000 "**the 4.3BSD UNIX operating system**"  
 0000 "**the 4.4BSD operating system**" 00 00 00000

- [illegible]

#### 4. BSD □□□□ □□□□□□□□

[illegible]

## 4.1. BSD 00 0000 000000000000 ?

00000000 0000 00; BSD 0000 0000 00000000 00 00000000000000 00000000 0000 BSD 0000000 0 0000000000 00000000  
 00000000 000000 00000000000000 000000 00000 00000 00000000 00000000000000 00000000000000 0 000000000000 00000000

## 4.2. BSD 3-Clause License

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and is designed to be a simple, clear, and concise license that allows for the widest possible range of reuse of the software it covers. It is a permissive license that allows for the software to be used in both open and closed source projects, and it does not require the user to provide any attribution or to share their own source code.

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and is designed to be a simple, clear, and concise license that allows for the widest possible range of reuse of the software it covers. It is a permissive license that allows for the software to be used in both open and closed source projects, and it does not require the user to provide any attribution or to share their own source code.

BSD 3-Clause License

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and is designed to be a simple, clear, and concise license that allows for the widest possible range of reuse of the software it covers. It is a permissive license that allows for the software to be used in both open and closed source projects, and it does not require the user to provide any attribution or to share their own source code.

BSD 3-Clause License

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and is designed to be a simple, clear, and concise license that allows for the widest possible range of reuse of the software it covers. It is a permissive license that allows for the software to be used in both open and closed source projects, and it does not require the user to provide any attribution or to share their own source code.

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and is designed to be a simple, clear, and concise license that allows for the widest possible range of reuse of the software it covers. It is a permissive license that allows for the software to be used in both open and closed source projects, and it does not require the user to provide any attribution or to share their own source code.

### Core Team

FreeBSD, NetBSD, and OpenBSD are all part of the BSD family. They are all based on the BSD 3-Clause License and are designed to be simple, clear, and concise licenses that allow for the widest possible range of reuse of the software they cover. They are all permissive licenses that allow for the software to be used in both open and closed source projects, and they do not require the user to provide any attribution or to share their own source code.

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and is designed to be a simple, clear, and concise license that allows for the widest possible range of reuse of the software it covers. It is a permissive license that allows for the software to be used in both open and closed source projects, and it does not require the user to provide any attribution or to share their own source code.

1. BSD 3-Clause License is a free and open source software license. It is based on the MIT License and is designed to be a simple, clear, and concise license that allows for the widest possible range of reuse of the software it covers. It is a permissive license that allows for the software to be used in both open and closed source projects, and it does not require the user to provide any attribution or to share their own source code.
2. BSD 3-Clause License is a free and open source software license. It is based on the MIT License and is designed to be a simple, clear, and concise license that allows for the widest possible range of reuse of the software it covers. It is a permissive license that allows for the software to be used in both open and closed source projects, and it does not require the user to provide any attribution or to share their own source code.
3. BSD 3-Clause License is a free and open source software license. It is based on the MIT License and is designed to be a simple, clear, and concise license that allows for the widest possible range of reuse of the software it covers. It is a permissive license that allows for the software to be used in both open and closed source projects, and it does not require the user to provide any attribution or to share their own source code.



00000000 00000000 00 0000 000000 0000 0000 BSD 0000 00 BSD/OS 0000 00000000 000000000000 Mac OS X

- 4.4 BSD 0000 000000 0000000000 00000 BSD/OS 000000 00000000 0000 000 0000000000 00, 0000000 000 00000 000000 00 0000000000 0000000000 00000 00000 FreeBSD'0 00000 BSD/OS 00 00000000 0000 00000000
- 00000000 000000000000 000000000000 000000000000 00000000 0000000000 0000000000 00000000 00000000 00 MacOS X0 00 0000000000 000000000000 00000000 00000000 0000000000 0000 0000000000 0000 00000000 000000000000 00000000 000000000000 FreeBSD 0000000000 000000000000 00000000 00000000

#### 4.4. BSD 3-Clause (GNU) License

ມີການແບ່ງປັນ ມີການແບ່ງປັນ ມີ *GNU General Public License* ມີ **GPL** **GPL** ມີ ມີການແບ່ງປັນ ມີ ມີການແບ່ງປັນ ມີ ມີການແບ່ງປັນ  
 ມີ ມີການແບ່ງປັນ ມີການແບ່ງປັນ ມີການ ມີການ **GPL** ມີການແບ່ງປັນ ມີການ ມີການ ມີການ ມີການ ມີການ ມີການ ມີການ  
 ມີການ ມີການ ມີການ ມີການ ມີການ **BSD** ມີການແບ່ງປັນ ມີການ ມີການ ມີການ ມີການ **BSD** ມີການແບ່ງປັນ ມີການ ມີການ  
 ມີການແບ່ງປັນ ມີການແບ່ງປັນ ມີການແບ່ງປັນ ມີການແບ່ງປັນ ມີການ ມີການ ມີການ ມີການ ມີການ *Embedded* ມີການແບ່ງປັນ  
 ມີການ ມີ ມີການແບ່ງປັນ ມີການ ມີການແບ່ງປັນ

#### 4.5. 如何 如何 如何 如何 如何 如何

00000000 **BSD**’000 00000 000000000000 0000000000 0000000 0000000000 00000000 00, 000 **BSD** 0000000000  
**BSD**’0000 000000000000 00000000 00000000 0000 0000 00000000 0000 00000000 00 0000000000 000 00 0000000000000 **C**  
 0000000000 000 **BSD** 0000000000 0000000000 0000000000 0000000000 00 0000000000 000 **BSD** 00000000  
 000000000000 00000000 00 00000000 000 0000 000000 000 0000 0000 **BSD** 000000000000 0000000000 0 0000  
 0000000000 000000000000 0000000000 0000000000 00000000 000000000000 00000000 000000 0000000000  
 00000000000000 0000 000 0000000000 0000000000 00 000

[illegible]

#### 4.6. 如何安装 BSD, 如何安装和配置网络 ?

BSD 如何 管理 網路 設備 的 網路 設備 ？ BSD 如何 管理 網路 設備 ？

□□ □□□□□□ □□□□ □□□□ □□□□ □□□□ □□□□□□□□ □□□□ □□□□□□ □□□□□□ □□□□ □□□□

- [illegible]

- 000000000000 00000000 BSD'00 0000000 000000 0000 00000000 000000 0000 00 0000 0000000000 0000000000 00000000 0000000 000000 BSD'0 0000000000 0000000 00000000000 000000 000000

## 4.7. BSD 000000000000 000000 0 000000000000

BSDi 0000000 BSD/OS 00000000000 00000 00000 00000000 0000000000 00000 FreeBSD 0000000000 00000 00000000 00000000

0000000 FreeBSD, NetBSD 0 OpenBSD'0 00000000000 0000000000 000000 0000000 00000 000000000000 0000000000 0000000000 00000 00000 0000000 00000